OIPE		IN THE UNITED STATES PATEN	T AND	TRADEMARK (OFFICE
4 - 2005	Applicant:	John Joseph Mazzitelli)	Docket No.:	10015525-1
THE 1 9 ZOOS	SerialNo.:	09/964,036)	Examiner:	Lin, Kelvin Y
TRADEMARK	Filing Date:	September 26, 2001)	Art Unit:	2142
	Entitled:	State Data Management Method and System)		

DECLARATION OF PEGGY T. OYAMA UNDER 37 C.F.R. SECTION 1.131

Mail Stop: Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

I am a Legal Administrator in the Legal-Intellectual Property department of Hewlett-Packard Company. I enclose hereto as Exhibit A a true copy of an invention disclosure form, with dates and portions redacted as noted, which was received from the inventor of the above-referenced patent application, John Joseph Mazzitelli, on a date prior to August 28, 2001, in the ordinary course of business as part of Hewlett-Packard Company's invention disclosure program. In accordance with Hewlett-Packard Company's invention disclosure program at that time, upon receipt of an invention disclosure document from an inventor, the invention disclosure document is dated with the date of receipt by the Legal Intellectual Property department of Hewlett-Packard Company and assigned a docket number.

CERTIFICATE OF MAILING/TRANSMISSION (37 C.F.R. 1.8(a))

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: MAIL STOP:
Amendment, Commissioner for Patents, P.O.
Box 1450, Alexandria, VA 22313-1450.

Date: 2-16-05

FACSIMILE

transmitted by facsimile to the Patent and Trademark Office.

hi A. Wash

Signature

0

DOCKET NO.: 1001552 PATENT

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SIGNATURE

Peggy T. Oyama

Signature ____

United States of America

Residence:

Citizenship:

Fort Collins, Colorado

				c on Front Si	de Only, Pleas	se		
STI S		ON DISCLOS					•	1E OF 6
	PDNO	001552	_5	DATE RCVD	Redacted			EY AUN
authorization Sub	information	contained in this do sure to the HP Legal litted to the Governme	cument is C Department	OMPANY CON as soon as poss	FIDENTIAL and in the state of t	may not otection i	be disclosed to is possible until a	others without prior patent application is
Descriptive Title	of Invention:	HTTP Cookie Proxy						
								•
Name of Project	: Universal Se	ession manager			•		(C)(O)	DR.
Product Name o								
Was a description	n of the invent	ion published, or are y	ou planning	to publish? If so,	the date(s) and pu	ublication	(s):	
ł .	dacted							
Was a product in	iduding the inv	vention announced, of	fered for sale	e, sold, or is such	activity proposed?	If so, th	e date(s) and loca	ation(s):
. Re	dacted							
Was the invention	on disclosed to	anyone outside of HF	or will such	disclosure occu	r? If so, the date(s	and nar	ne(s):	
Re	dacted							
Mar the inventi	If any of the a	bove situations will occur w n a lab book or other r	ithin 3 months, o	please identify (rthe Legal Departmen ab book #, etc.)	t now at 1-6	398-4919 or 970-898-	4919.
	dacted							
Was the invent	ion built or test	ted? If so, the date:						
Re	dacted							
Was this inven	tion made und	er a government contr	act? If so, th	e agency and co	ntract number.			
Re	dacted							
A. Description graphs; fl. B. Advantag	bon of the const lowcharts; com ges of the inver	e signed and dated by ruction and operation nputer listings; test res ntion over what has be	of the inventor of the inventi ults; etc.) een done befo	on (indude appro ore.	opriate schematic,	block, & t	iming diagrams; o	dditional page should
D. Prior solu	Itions and inell	Pursuant to my (our) e	molovament a	greement, I (we)	submit this disclos	ure on th	is date: [Red	acted }.
			(//	2///		edaci		HP Bluestone
Redact		Mazzitelli	1 /5	práture		Telnet	Mailstop	Entity & Lab Nam
Employee No	. Name		j. / 90					
<u> </u>	o. Name		Sin	nature		Telnet	Mailstop	Entity & Lab Nam
Employee No). Name							

Signature

Name Signature Telnet Mailstop Enti (If more than four inventors, include additional information on another copy of this form and attach to this document)

Entity & Lab Name

Entity & Lab Name

Telnet

Mailstop

Name

Employee No.

Employee No.

verite in Dark Ink on Front Side Only, Please

INVENTION DISCLOSURE	COMPANY CONFIDENTIAL	PAGE _2 OF	_6
anatura of Witness(es): (Please try to obtain the signal	ture of the person(s) to whom invention was first	disclosed.)	1
ne invention was first explained to, and underst	ood by, me (us) on this date: [Redacted Date of Sig	achum.
n 11	Signature	_	
VINCENT SCHOEN FELD	100	Redac	
I Name	Signature	Date of Sig	nature
			_
		a annu of this form & attach to this day	w.mantl
ventor & Home Address Information: (# more	than four inventors, include addl. information on	a copy of this form & attach to this ood	unient)
ventor's Full Name			
ohn Joseph Mazzitelli			
treet			
Redacted			
ity		State	Zip
Redacted		Redacted	
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zip
•			· · · · · · · · · · · · · · · · · · ·
Greeted as (nickname, middle name, etc.)	Citizens	nip United States of America	
		Dilited States of America	
inventor's Full Name			
Street			
City		State	Zip
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zip
Greeted as (nickname, middle name, etc.)	Citizens	ship	
Inventor's Full Name			
Street			
		0	7:-
City		State	Zip
			
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zip
`	•		
Greeted as (nickname, middle name, etc.)	Citizer	aship	
Inventor's Full Name			-
Street			
City		State	Zip
Do you have a Residential P.O. Address? P.O. BOX	City	State	Zip
Greeted as (nickname, middle name, etc.)	Citize	nship	
Greener as finovitation tribate tribate			

write in Dark Ink on Front Side Only, Please

Description of Invention: Please preserve all records of the invention and attach additional pages for the following. Each additional page should be signed and dated by the inventor(s) and witness(es).

A. Description of the construction and operation of the invention (include appropriate schematic, block, & timing diagrams; drawings; samples; graphs; flowcharts; computer listings; test results; etc.)

The HTTP Cookie Proxy is a component that is housed inside of the Universal Session Manager product which sits between a remote client device and a web server. The Universal Session Manager and its internal HTTP Cookie Proxy component is currently implemented as a customized listener that plugs into the HP Bluestone Universal Listener Framework (ULF). The algorithm is as follows:

- 1) Accept HTTP requests from the client device (e.g., a WAP phone)
- 2) Extracts a unique client identifier from that HTTP request that uniquely identifies the remote client.
- 3) Adds any cookies belonging to that client to the request via an HTTP cookie header.
- 4) Forwards the request (with the new HTTP cookie headers) to a web server.
- 5) When the web server returns the HTTP response, the component will parse that response and extract all HTTP set-cookie headers. If any set-cookie headers are found, those cookies are stored in a cookie storage area for later retrieval when the client submits future HTTP requests (i.e. used in step 3).
- 6) The HTTP Cookie Proxy passes the response unaltered back to the client.

Other than adding cookie headers to the forwarded HTTP request, no other modifications are made to the request and, no modifications are performed on the web server's HTTP response. By default, the cookies are stored in-process; that is to say, they are stored in the same Java Virtual Machine memory space as the HTTP Cookie Proxy. It is conceivable that you might want to store this cookie information in persistent storage (like a file system or database) for better fault tolerance. The HTTP Cookie Proxy has, therefore, been designed to allow for an implementation that does these things to plug in seamlessly.

FIGURE A.




FIGURE A shows an example of how the Universal Session Manager (which houses the HTTP Cookie Proxy components) could be used to facilitate requests between a WAP phone and an HP Bluestone Universal Business Server (UBS) application.




FIGURE B illustrates the Request Scenario – that is, the flow diagram that indicates how an HTTP request from a client device flows through the HTTP Cookie Proxy to its final destination, that being a web server or application server.




FIGURE C illustrates the Response Scenario – that is, the flow diagram that indicates how an HTTP response from a web or application server flows through the HTTP Cookie Proxy back to its requestor, that being a remote client device.

B. Advantages of the invention over what has been done before.

Without using this HTTP Cookie Proxy, some client devices cannot maintain state information and thus could not access certain web and/or application servers. The advantage to using this component is that now a device which previously had been unable to effectively use certain web and application servers can now do so without failure. Another advantage is that the HTTP Cookie Proxy can be added to an application deployment without the application developer or the client device knowing that it is involved in the interaction between client and server. Therefore, it can be added to an existing or future application deployment without requiring additional coding effort to be expended. It snaps in

	reamlessly and invisibly to the client and server programs.
	, , ,
	·
	De blane as had by the invention
C.	Problems solved by the invention.
	Some client devices do not have the capability to store HTTP cookies. This can lead to problems since some web and Application Servers pass cookies to clients in order to maintain session and state information between requests – without the ability to store cookies on a per-client basis, state and session information cannot be maintained across multiple requests from the same client. The HTTP Cookie Proxy works around this problem by providing a mechanism by which the cookie information is no longer required to be stored in the client device.
	·
D.	Prior solutions and their disadvantages (if available, attach copies of product literature, technical articles, patents, etc.).
	A prior solution would be to force the web/application server developer to encode the cookie information in the returned anchor and form action URLs. The disadvantage to this is that it requires additional work on the application developer to specifically code their applications to do this additional, specialized handling for the specific devices that cannot handle cookies. Another disadvantage is that the URLs themselves may grow too long in length, depending on how the cookie information is encoded on the URL. Some devices may not or can not display or accept URL strings longer than a certain length. If that length is exceeded, the client will again be rendered useless with respect to its ability to interact with the web or application server.
1	
1	
1	